AQUIFER SCIENCES, INC.

PHASE II ENVIRONMENTAL ASSESSMENT

12710 AND 12750 MABURY ROAD
SAN JOSE, CALIFORNIA

Prepared for

Mr. Murphy Sabatino
12710 and 12750 Mabury Road
San Jose, California 95133

by

Aquifer Sciences, Inc.
3680-A Mt. Diablo Blvd.
Lafayette, California 94549

October 5, 2012

AQUIFER SCIENCES, INC.
3680-A Mt. Diablo Blvd.
Lafayette, CA 94549
(925) 283-9098

October 5, 2012
212563

Murphy Sabatino
12710 and 12750 Mabury Road
San Jose, CA 95133

Subject: Phase II Environmental Assessment
12710 and 12750 Mabury Road, Redwood City, California

Dear Mr. Sabatino:

Aquifer Sciences is pleased to present this report containing the results of the Phase II environmental assessment conducted for the properties at 12710 and 12750 Mabury Road in San Jose, California. We appreciate the opportunity to be of service. If you have any questions regarding this report, please call us.

Respectfully yours,

212563

212563

Justin Evans
Staff Hydrogeologist

Rebecca A. Sterbentz, PG, CHG
President

REGISTERED GEOLOGIST
REBECCA A. STERBENTZ
No. 4119
STATE OF CALIFORNIA

Enclosure

cc: Mike Campbell, HMH

TABLE OF CONTENTS

		Page No.
1.0	INTRODUCTION	1
2.0	SITE DESCRIPTION	1
3.0	SOIL AND GROUNDWATER SAMPLING AND ANALYSIS	1
4.0	ANALYTICAL DATA EVALUATION	3
	4.1 Analytical Data Evaluation for Soil	3
	4.2 Analytical Data Evaluation for Groundwater	4
5.0	SUMMARY AND CONCLUSIONS	5
6.0	RECOMMENDATIONS	6
7.0	LIMITATIONS	6

FIGURES

Figure 1. Vicinity Map
Figure 2. Map Showing Sampling Locations

TABLES

Table 1. Analytical Data for Soil – Pesticides
Table 2. Analytical Data for Soil – Petroleum Hydrocarbons and VOCs
Table 3. Analytical Data for Soil – Metals
Table 4. Analytical Data for Groundwater – Petroleum Hydrocarbons and VOCs
Table 5. Analytical Data for Groundwater – Metals

APPENDICES

Appendix A. Drilling Logs
Appendix B. Laboratory Reports and Chain-of-Custody Documentation

PHASE II ENVIRONMENTAL ASSESSMENT
12710 and 12750 Mabury Road, San Jose, California
September 2012

1.0 INTRODUCTION

This report presents the results of the Phase II environmental assessment conducted for the properties (the "Site") located at 12710 and 12750 Mabury Road in San Jose, California (Figure 1). The objectives of this assessment were to: 1) collect and analyze soil samples near each of the recognized environmental conditions identified during the Phase I assessment, 2) collect and analyze groundwater samples to evaluate potential impacts from the recognized environmental conditions, 3) evaluate and compare analytical data for soil and groundwater samples to regulatory limits, and 4) determine the scope of any soil or groundwater remediation that may be warranted. Soil and groundwater sampling and analysis were performed in accordance with our work plan dated August 31, 2012.

2.0 SITE DESCRIPTION

The Site consists of approximately 3.4 acres of land and is located at 12710 and 12750 Mabury Road, San Jose, California (Figures 1 and 2). Prior to 1965, the Site was used as agricultural land. As shown in aerial photographs, orchards were present on the Site from 1939 to 1965. Two single-family homes are currently located on the Site. The area surrounding the homes includes patios, a pool, concrete-paved driveways, greenhouses, sheds, outdoor restrooms, planting areas, and landscaping.

The single-family homes were constructed in the mid-1960s. The eastern portion of the Site is made available to the Master Gardeners of Santa Clara County for organic gardening, cultivation trials and experimentation, and growing produce for charitable contribution.

3.0 SOIL AND GROUNDWATER SAMPLING AND ANALYSIS

On September 6, 2012, soil and groundwater sampling was conducted at nine locations across the Site. The sampling locations, B1 through B9, are illustrated on Figure 2.

Prior to drilling, each proposed boring location was marked and Underground Service Alert was notified to check for the presence of underground utilities. In addition, a private utility-line locator (C. Cruz Sub-Surface Locators) was retained to check the vicinity of each proposed boring.

The soil and groundwater sampling program was conducted by Aquifer Sciences field staff working under the direction of a California Professional Geologist. Environmental Control

Associates, a C-57 certified environmental drilling company, performed the subsurface work using a Geoprobe 5410 truck-mounted rig equipped with a 2-inch diameter sampler and drive rods. Soil samples and cuttings were examined for lithologic identification and visible signs of contamination. Copies of the drilling logs are included in Appendix A.

All drilling equipment and tools were washed with an Alconox solution, rinsed with tap water, and rinsed with distilled water before the field program began and after each use. Sampling equipment was also washed with an Alconox solution, rinsed with tap water, and rinsed with distilled water prior to each use.

Soil samples were collected from borings B1, B2, B3, B4, and B8 at depths of 1, 3, and 6 feet below ground surface. Soil samples were collected from borings B5, B6, B7, and B9 at a depth of 1 foot below ground surface. The soil samples were collected in clean liners. The liners were sealed, labeled, stored on ice in a cooler at 4° Celsius, and transported under chain-of-custody protocol within 24 hours of collection to McCampbell Analytical, a state-certified analytical laboratory, located in Pittsburg, California.

In total, 19 soil samples were collected from the nine borings. Of these, 14 samples from the 1- and 3-foot depths within each boring were designated for laboratory analysis. The remaining five samples from the 6-foot depths were placed on hold at the laboratory for possible future analysis. The 1-foot deep samples from borings B1, B2, B5, B6, B7, and B8 were analyzed for total petroleum hydrocarbons identified as gasoline (TPH-gasoline), TPH-diesel and TPH-motor oil by EPA Method 8015B with silica gel cleanup. The 1-foot deep samples from borings B1 and B2 were analyzed for volatile organic compounds (VOCs) and fuel oxygenates by EPA Method 8260B. The 1-foot deep samples from borings B2 and B3 were also analyzed for the CAM 17 metals by EPA Method 6020. The 1- and 3-foot deep samples from borings B1, B2, B3, B4, B5, B8, and B9 were analyzed for organochlorine pesticides by EPA Method 8081A, and arsenic and lead by EPA Method 6020.

Grab groundwater samples were collected from two of the nine boring locations (B2 and B8). Groundwater samples were collected from the borings at depths of approximately 28 to 32 feet below ground surface. Each groundwater sample was collected using new tubing and a peristaltic pump. Reusable sampling equipment was washed with an Alconox solution, rinsed with tap water, and rinsed with distilled water prior to each use.

Samples were collected in clean bottles supplied by the analytical laboratory. The bottles were sealed, labeled, stored on ice in a cooler at 4° Celsius, and transported under chain-of-custody protocol within 24 hours of collection to McCampbell Analytical. After sampling was completed, each boring was filled and sealed with Portland cement.

Both groundwater samples were analyzed for TPH-gasoline, TPH-diesel, and TPH-motor oil by EPA Method 8015B with silica gel cleanup and VOCs and fuel oxygenates by EPA Method 8260B. Boring B2 was also analyzed for CAM 17 metals by EPA Method 200.8.

4.0 ANALYTICAL DATA EVALUATION

The results of laboratory analysis performed on the soil and groundwater samples collected on September 6, 2012, are presented in Tables 1 through 5. Copies of the laboratory analytical reports and chain-of-custody documentation are included in Appendix B.

4.1 ANALYTICAL DATA EVALUATION FOR SOIL

The analytical results were compared to regulatory standards to evaluate the environmental condition of the soil. One of the currently applicable regulatory guidelines is given by the California Environmental Protection Agency (Cal/EPA), which consists of California human health screening levels (CHHSLs) for residential properties. Another set of currently applicable regulatory guidelines is given by the Regional Water Quality Control Board (RWQCB), which consists of environmental screening levels (ESLs) for residential properties. The presence of a chemical at concentrations in excess of a CHHSL or ESL does not indicate that adverse impacts to human health are occurring, but suggests that further evaluation of potential human health concerns may be warranted. The analytical data were also compared to the Total Threshold Limit Concentration (TTLC) values established by the State of California to provide concentration limits for the classification of hazardous substances. In addition, the State of California has established Soluble Threshold Limit Concentration (STLC) values to provide soluble concentration limits for the classification of hazardous substances. As a rule-of-thumb, samples that contain an analyte at concentrations exceeding the numerical value of 10 times the STLC should be analyzed for soluble concentrations.

Table 1 summarizes the analytical data for organochlorine pesticides in soil. Low concentrations of a-chlordane, g-chlordane, p,p-dichlorodiphenyldichloroethane (DDD), p,p-dichlorodiphenyldichloroethene (DDE), and p,p-dichlorodiphenyltrichloroethane (DDT) were detected in one or another soil sample from borings B2, B3, B4, B5, and B9 from the 1- and 3-foot depths. None of the pesticide concentrations detected in the samples exceeded the CHHSLs, ESLs, TTLCs, or STLCs. No other pesticides were detected in the samples. These low pesticide concentrations in soil are consistent with the former agricultural usage of the Site.

Table 2 summarizes the analytical data for petroleum hydrocarbons and VOCs detected in the soil samples. TPH-gasoline was not detected in any of the soil samples. Low concentrations of TPH-diesel, up to 6.2 milligrams per kilogram (mg/kg), were detected in six samples. None of these TPH-diesel concentrations exceeded the residential ESL of 83 mg/kg. Low concentrations of TPH-motor oil (up to 49 mg/kg) were detected in four samples. None of

these TPH-motor oil concentrations exceeded the residential ESL of 370 mg/kg. VOCs and fuel oxygenates were not detected in any of the soil samples.

Table 3 summarizes the analytical data for metals detected in the soil samples. Low concentrations of metals were detected in all of the soil samples. Metals occur naturally in soil and rock, and are typically present at varying concentrations. None of the metals concentrations exceeded the CHHSLs or ESLs, except for arsenic and vanadium. Arsenic was detected in every sample at concentrations between 6.3 and 10 mg/kg. The CHHSL for arsenic is 0.07 mg/kg, and the ESL is 0.39 mg/kg. Arsenic concentrations up to approximately 20 mg/kg are within background levels for soil in the San Jose area. Vanadium was detected in two samples (B2-1 and B3-1) at concentrations of 55 and 44 mg/kg, respectively. The CHHSL for vanadium is 530 mg/kg, and the ESL is 16 mg/kg. The presence of vanadium in soil is common in the San Jose area and is likely naturally-occurring at these concentrations.

None of the metals concentrations, except chromium, exceeded the rule-of-thumb comparison of ten times the STLC. Chromium was detected in samples B2-1 and B3-1 at concentrations of 65 and 56 mg/kg, respectively. Ten times the STLC value is 50 mg/L. Chromium occurs naturally at these concentrations in soil in the San Jose area.

4.2 Analytical Data Evaluation for Groundwater

The analytical data were compared to regulatory standards to evaluate the groundwater quality. The currently applicable regulatory guidelines are given by the RWQCB and consist of the Tier 1 ESLs for groundwater (Table A).

Table 4 summarizes the analytical data for petroleum hydrocarbons and VOCs detected in the groundwater samples from borings B2 and B8. TPH-gasoline, TPH-diesel, and TPH-motor oil were not detected in any of the groundwater samples. VOCs and fuel oxygenates were not detected in any of the groundwater samples

Table 5 summarizes the analytical data for the CAM 17 metals detected in the groundwater sample from boring B2. Ten of the CAM 17 metals (barium, chromium, cobalt, copper, mercury, molybdenum, nickel, selenium, vanadium, and zinc) were detected in sample B2. Metals occur naturally in soil and groundwater, and the concentrations of metals detected in the groundwater samples at the Site appear to be representative of background conditions for the San Jose area. None of the metals concentrations in the samples exceeded the ESLs. The laboratory reported the presence of sodium, calcium, and magnesium salts, which is likely a byproduct of the septic tank and leach field.

5.0 SUMMARY AND CONCLUSIONS

In September 2012, Aquifer Sciences performed a Phase II environmental assessment for the Site located at 12710 and 12750 Mabury Road in San Jose, California. The main objectives of the Phase II assessment were to: 1) collect and analyze soil samples near each of the recognized environmental conditions identified during the Phase I assessment, 2) collect and analyze groundwater samples to evaluate potential impacts from the recognized environmental conditions, 3) evaluate and compare analytical data for soil and groundwater samples to regulatory limits, and 4) determine the scope of any soil or groundwater remediation that may be warranted.

Soil and groundwater samples were collected from nine borings across the Site. The sampling locations were selected based on the findings and conclusions of the Phase I environmental assessment. Soil sampling depths were selected mainly to evaluate the presence and distribution of agriculturally-related chemicals and the recognized environmental conditions identified in the Phase I environmental assessment. Grab groundwater samples were collected from two of the nine borings. Based on the assessment results, the following conclusions can be made:

- Soil encountered in the borings primarily consisted of clay, silt, sand and gravel. No evidence of staining or odor was apparent during sampling.
- The pesticide concentrations detected in soil include a-chlordane, g-chlordane, DDD, DDE, and DDT. None of the pesticide concentrations exceeded the residential CHHSLs or ESLs.
- Low concentrations of petroleum hydrocarbons (TPH-diesel and TPH-motor oil) were detected in some of the soil samples. None of these detections exceeded the residential ESLs.
- Metals occur naturally in soil and rock and were detected in varying concentrations in all of the samples. Arsenic, chromium, and/or vanadium were detected in many samples at concentrations exceeding one and/or another of the applicable regulatory guidelines.
- Arsenic was detected in every soil sample. Soils of the San Jose area typically contain background concentrations of arsenic up to approximately 20 mg/kg. None of the soil samples contained arsenic above the background concentration.
- Chromium was detected at low concentrations in the soil samples, but did not exceed the residential CHHSL or ESL. Chromium exceeded the rule-of-thumb comparison of ten times the STLC in two of the samples. The presence of chromium in soil is common in the San Jose area and is likely natually-occuring at these concentrations.

- Vanadium was detected in two soil samples at concentrations exceeding the residential ESL, but not the residential CHHSL. The presence of vanadium in soil is common in the San Jose area and is likely naturally-occurring at these concentrations.
- The analytical data indicate that the soil quality is consistent with the Site's former agricultural usage. Shallow soil at the Site contains residual concentrations of pesticides; however, none exceeded residential CHHSLs or ESLs.
- The groundwater samples were analyzed for petroleum hydrocarbons, VOCs, and/or metals. Petroleum hydrocarbons and VOCs were not detected in the groundwater samples.
- Ten of the CAM 17 metals (barium, chromium, cobalt, copper, mercury, molybdenum, nickel, selenium, vanadium, and zinc) were detected in groundwater sample B2. None of the metals concentrations in the groundwater sample exceeded the ESLs.

6.0 RECOMMENDATIONS

The results of the Phase II assessment indicate that the environmental quality of soil and groundwater is favorable. The analytical data show that the concentrations of pesticides, petroleum hydrocarbons, and VOCs in soil and groundwater were either not detected or do not exceed the current regulatory screening limits given as residential CHHSLs and ESLs. Arsenic, chromium, and vanadium were detected in soil at low concentrations exceeding at least one regulatory limit, but not exceeding naturally-occuring concentrations in the San Jose area.

It is our understanding that the Site will be redeveloped for multi-family residential housing. Although there is no need to perform any environmental remediation based on the results of the Phase II assessment and current Site usage, the City of San Jose may have specific objectives regarding soil quality for certain residential development scenarios.

7.0 LIMITATIONS

This environmental assessment was performed in accordance with the practices and procedures generally accepted in the consulting engineering field. Our professional judgment regarding the potential for contamination at the Site is based on limited data; no other warranty is given or implied by this report. This document was prepared exclusively for Murphy Sabatino. It is intended for use only by Mr. Sabatino, his agents, and assignees. No other person or entity may rely upon the report without the expressed written consent of Aquifer Sciences, Inc.



Figure 1. VICINITY MAP
12710 and 12750 Mabury Road, San Jose, California



Figure 2. MAP SHOWING SAMPLING LOCATIONS
12710 and 12750 Mabury Road, San Jose, California

Table 1. ANALYTICAL DATA FOR SOIL – Pesticides
12710 and 12750 Mabury Road, San Jose, California

Sampling Location	Sampling Date	Sample Depth (feet)	a-Chlordane (mg/kg)	g-Chlordane (mg/kg)	DDD (mg/kg)	DDE (mg/kg)	DDT (mg/kg)	Dieldrin (mg/kg)	Other Pesticides (mg/kg)
B1-1	9/6/12	1	ND	ND	ND	ND	ND	ND	ND
B1-3	9/6/12	3	ND	ND	ND	ND	ND	ND	ND
B2-1	9/6/12	1	ND	ND	ND	0.0039	0.0070	ND	ND
B2-3	9/6/12	3	ND	ND	ND	ND	ND	ND	ND
B3-1	9/6/12	1	ND	ND	ND	0.0044	ND	ND	ND
B3-3	9/6/12	3	ND	ND	ND	ND	0.0067	ND	ND
B4-1	9/6/12	1	ND	0.0014	0.0017	0.23	0.036	ND	ND
B4-3	9/6/12	3	ND	ND	ND	0.0010	ND	ND	ND
B5-1	9/6/12	1	0.0032	0.0015	ND	0.047	0.036	ND	ND
B6-1	9/6/12	1	NA	NA	NA	NA	NA	NA	NA
B7-1	9/6/12	1	NA	NA	NA	NA	NA	NA	NA
B8-1	9/6/12	1	ND	ND	ND	ND	ND	ND	ND
B8-3	9/6/12	3	ND	ND	ND	ND	ND	ND	ND
B9-1	9/6/12	1	ND	ND	ND	0.0060	0.0072	ND	ND
Reporting Limit		-----	0.001	0.001	0.001	0.001	0.001	0.001	varies
Residential CHHSL		-----	0.43	0.43	2.3	1.6	1.6	0.035	varies
Residential ESL		-----	0.44	0.44	2.4	1.7	1.7	0.0023	varies
TTLC		-----	2.5	2.5	1	1	1	8	varies
STLC (mg/L)		-----	0.25	0.25	0.1	0.1	0.1	0.8	varies

mg/kg = milligrams per kilogram (parts per million or ppm)
NA = not analyzed
ND = not detected above the reporting limit
DDD = p,p-dichlorodiphenyldichloroethane
DDE = p,p-dichlorodiphenyldichloroethene
DDT = p,p-dichlorodiphenyltrichloroethane
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration (units are mg/L)
CHHSL = California human health screening level, California Environmental Protection Agency
ESL = Tier 1 environmental screening level, Table A, San Francisco Regional Water Quality Control Board, May 2008

Table 2. ANALYTICAL DATA FOR SOIL – Petroleum Hydrocarbons and VOCs
12710 and 12750 Mabury Road, San Jose, California

Sampling Location	Sampling Date	Sample Depth (feet)	TPH-gasoline (mg/kg)	TPH-diesel (mg/kg)	TPH-motor oil (mg/kg)	VOCs (mg/kg)
B1-1	9/6/12	1	ND	2.4	ND	ND
B1-3	9/6/12	3	NA	NA	NA	NA
B2-1	9/6/12	1	ND	3.6	7.9	ND
B2-3	9/6/12	3	NA	NA	NA	NA
B3-1	9/6/12	1	NA	NA	NA	NA
B3-3	9/6/12	3	NA	NA	NA	NA
B4-1	9/6/12	1	NA	NA	NA	NA
B4-3	9/6/12	3	NA	NA	NA	NA
B5-1	9/6/12	1	ND	4.1	26	NA
B6-1	9/6/12	1	ND	5.0	28	NA
B7-1	9/6/12	1	ND	6.2	49	NA
B8-1	9/6/12	1	ND	2.7	ND	NA
B8-3	9/6/12	3	NA	NA	NA	NA
B9-1	9/6/12	1	NA	NA	NA	NA
Reporting Limit		-----	1.0	1.0	5.0	0.004 - 0.1
Residential CHHSL		-----	NE	NE	NE	varies
Residential ESL		-----	83	83	370	varies

mg/kg = milligrams per kilogram (parts per million or ppm)
NA = not analyzed
ND = not detected above the reporting limit
NE = none established
TPH = total petroleum hydrocarbons
VOCs = volitile organic compounds
CHHSL = California human health screening level, California Environmental Protection Agency
ESL = Tier 1 environmental screening level, Table A, San Francisco Regional Water Quality Control Board, May 2008

AQUIFER SCIENCES, INC.

Table 3. ANALYTICAL DATA FOR SOIL – Metals
12710 and 12750 Mabury Road, San Jose, California

Sampling Location	Sampling Date	Sample Depth (feet)	Antimony (mg/kg)	Arsenic (mg/kg)	Barium (mg/kg)	Beryllium (mg/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Cobalt (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Mercury (mg/kg)	Molybdenum (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Thallium (mg/kg)	Vanadium (mg/kg)	Zinc (mg/kg)
B1-1	9/6/12	1	NA	**6.3**	NA	NA	NA	NA	NA	NA	7.6	NA	NA	NA	NA	NA	NA	NA	NA
B1-3	9/6/12	3	NA	**9.5**	NA	NA	NA	NA	NA	NA	8.4	NA	NA	NA	NA	NA	NA	NA	NA
B2-1	9/6/12	1	1.6	**10**	490	0.55	0.48	65	14	59	25	0.087	0.93	86	ND	ND	ND	**52**	230
B2-3	9/6/12	3	NA	**7.5**	NA	NA	NA	NA	NA	NA	15	NA	NA	NA	NA	NA	NA	NA	NA
B3-1	9/6/12	1	0.54	**10**	240	ND	0.26	56	12	53	23	0.066	0.83	71	ND	ND	ND	**44**	61
B3-3	9/6/12	3	NA	**9.1**	NA	NA	NA	NA	NA	NA	8.7	NA	NA	NA	NA	NA	NA	NA	NA
B4-1	9/6/12	1	NA	**8.6**	NA	NA	NA	NA	NA	NA	14	NA	NA	NA	NA	NA	NA	NA	NA
B4-3	9/6/12	3	NA	**7.9**	NA	NA	NA	NA	NA	NA	7.5	NA	NA	NA	NA	NA	NA	NA	NA
B5-1	9/6/12	1	NA	**6.3**	NA	NA	NA	NA	NA	NA	17	NA	NA	NA	NA	NA	NA	NA	NA
B6-1	9/6/12	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B7-1	9/6/12	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B8-1	9/6/12	1	NA	**8.5**	NA	NA	NA	NA	NA	NA	48	NA	NA	NA	NA	NA	NA	NA	NA
B8-3	9/6/12	3	NA	**6.3**	NA	NA	NA	NA	NA	NA	6.3	NA	NA	NA	NA	NA	NA	NA	NA
B9-1	9/6/12	1	NA	**8.3**	NA	NA	NA	NA	NA	NA	13	NA	NA	NA	NA	NA	NA	NA	NA
Reporting Limit		-----	0.5	0.5	5.0	0.5	0.25	0.5	0.5	0.5	0.5	0.05	0.5	0.5	0.5	0.5	0.5	0.5	5.0
Residential CHHSL		-----	30	0.07	5,200	150	1.7	100,000	660	3,000	80	18	380	1,600	380	380	5.0	530	23,000
Residential ESL		-----	6.3	0.39	750	4.0	1.7	750	40	230	200	1.3	40	150	10	20	1.3	16	600
STLC (mg/L)		-----	15	5.0	100	0.75	1.0	5.0	8.0	25	5.0	0.2	350	20	1.0	5.0	7.0	24	250

mg/kg = milligrams per kilogram (parts per million or ppm)
NA = not ananlyzed
ND = not detected
CHHSL = California human health screening level, California Environmental Protection Agency
ESL = Tier 1 environmental screening level, Table A, San Francisco Regional Water Quality Control Board, May 2008
STLC = Soluble Threshold Limit Concentration (units are mg/L)
6.3 = Bold font indicates that the concentration exceeds the ESL and/or the CHHSL.
65 = Shaded value indicates that the concentration exceeds ten times the STLC for the compound.

Table 4. ANALYTICAL DATA FOR GROUNDWATER – Petroleum Hydrocarbons and VOCs
12710 and 12750 Mabury Road, San Jose, California

Sampling Location	Sampling Date	TPH-gasoline (μg/L)	TPH-diesel (μg/L)	TPH-motor oil (μg/L)	VOCs (μg/L)
B2	9/6/12	ND	ND	ND	ND
B8	9/6/12	ND	ND	ND	ND
Reporting Limit		50	50	250	0.2 - 10
ESL		100	100	100	varies

μg/L = micrograms per liter (parts per billion or ppb)
ND = not detected
TPH-gasoline = total petroleum hydrocarbons, quantified as gasoline
TPH-diesel = total petroleum hydrocarbons, quantified as diesel
TPH-motor oil = total petroleum hydrocarbons, quantified as motor oil
VOCs = volatile organic compounds
ESL = Tier 1 environmental screening level, Table A, San Francisco Regional Water Quality Control Board, May 2008

Table 5. ANALYTICAL DATA FOR GROUNDWATER – Metals
12710 and 12750 Mabury Road, San Jose, California

Sampling Location	Sampling Date	Antimony (µg/L)	Arsenic (µg/L)	Barium (µg/L)	Beryllium (µg/L)	Cadmium (µg/L)	Chromium (µg/L)	Cobalt (µg/L)	Copper (µg/L)	Lead (µg/L)	Mercury (µg/L)	Molybdenum (µg/L)	Nickel (µg/L)	Selenium (µg/L)	Silver (µg/L)	Thallium (µg/L)	Vanadium (µg/L)	Zinc (µg/L)
B2	9/6/12	ND < 2.6	ND < 1.8	36	ND < 0.70	ND < 0.40	3.3	2.5	4	ND < 1.0	0.21	8.0	8.7	22	ND < 1.2	ND < 0.40	1.5	41
B8	9/6/12	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Reporting Limit	-----	0.5	0.5	5.0	0.5	0.25	0.5	0.5	0.5	0.5	0.025	0.5	0.5	0.5	0.19	0.5	0.5	5.0
ESL	-----	6.0	50	1,000	4.0	5.0	21	140	1,000	15	2.0	35	100	50	35	2.0	15	5,000

µg/L = micrograms per liter (parts per billion or ppb)
ND = not detected
ESL = Tier 1 environmental screening level, Table A, San Francisco Regional Water Quality Control Board, May 2008
Note: Reporting limit raised due to high non-reported metals content (salts of sodium, calcium, and magnisium, possibly associated with leach field).

APPENDIX A

DRILLING LOGS

AQUIFER SCIENCES, INC.

PROJECT NAME 212563 NO. B1

DRILLING LOCATION 12710 & 12750 Mahary Rd., San Jose, CA		ELEVATION AND DATUM (FT.)	
DRILLING AGENCY ECA	DRILLER Brent	DATE STARTED 9/6/12	DATE FINISHED 9/6/12
DRILLING METHOD Direct Push	DRILL BIT	BORING DEPTH (FT.) 6	WELL DEPTH (FT.)
DRILLING EQUIPMENT Geoprobe 5410 truckmounted	SAMPLER	NO. OF SAMPLES SOIL 3	GW / OTHER
SIZE AND TYPE OF CASING		DEPTH TO WATER (FT.) FIRST	COMPLETION / OTHER
TYPE OF PERFORATION	FROM TO FT.		
SIZE AND TYPE OF FILTER PACK	FROM TO FT.	LOGGED BY: JE	CHECKED BY:
TYPE OF SEAL	FROM TO FT.		
TYPE OF SEAL	FROM TO FT.		

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG: Lithology	GRAPHIC LOG: Well Construction Diagram	Water Level	SAMPLES: Sampling Interval	SAMPLES: Recovery (%)	SAMPLES: Blow Counts (per 6 in.)	SAMPLES: OVM (ppmv)	REMARKS (Drilling Rate, Fluid Loss, Odor, etc.)
0	gravel - FILL								start time @ 0930
1	silty sand w/ gravel 1/2 in Ø subrounded clasts	GM							soil sample B1-1 @ 0939
2									
3									sample B1-3 @ 0941
4									
5	silty sand no gravel	SM							sample B1-6 @ 0945
6	Bottom of Boring 6'								

BORING NUMBER B1 SHEET 1 of 1

AQUIFER SCIENCES, INC.

PROJECT NAME 212563 NO. B2

DRILLING LOCATION 12710 & 12750 Mabury Rd, San Jose		ELEVATION AND DATUM (FT.)	
DRILLING AGENCY ECA	DRILLER Brent	DATE STARTED 9/6/12	DATE FINISHED 9/6/12
DRILLING METHOD Direct Push	DRILL BIT	BORING DEPTH (FT.) 28	WELL DEPTH (FT.)
DRILLING EQUIPMENT Geoprobe 5410 truck mounted	SAMPLER	NO. OF SAMPLES SOIL 3	GW 1 OTHER
SIZE AND TYPE OF CASING		DEPTH TO WATER (FT.) FIRST 25.5'	COMPLETION OTHER
TYPE OF PERFORATION	FROM TO FT.		
SIZE AND TYPE OF FILTER PACK	FROM TO FT.	LOGGED BY: JE	CHECKED BY: KS
TYPE OF SEAL	FROM TO FT.		
TYPE OF SEAL	FROM TO FT.		

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG: Lithology	GRAPHIC LOG: Well Construction Diagram	Water Level	SAMPLES: Sampling Interval	SAMPLES: Recovery (%)	SAMPLES: Blow Counts (per 6 in.)	SAMPLES: OVM (ppmv)	REMARKS (Drilling Rate, Fluid Loss, Odor, etc.)
0	silty-sand w/gravel ½ in Ø l.brown	GM							start time @ 0950
1									sample B2-1 @ 0955
2									
3									sample B2-3 @ 1000
4									
5	silty sand l.brown	SM							
6									sample B2-6 @ 1004
7									
8	clay w/silt d.brown med. plasticity, moist	CL							
9	silty sand w/gravel sub rounded ¾	GM							
10									
11	interbed clay w/ gravel								
12									
13	clay silty l.brown w/gravel	GC							

BORING NUMBER B2 SHEET 1 of 2

AQUIFER SCIENCES, INC.

PROJECT NAME 212563 NO. B2

DRILLING LOCATION 12710 & 12750 Maburg Rd, San Jose, CA		ELEVATION AND DATUM (FT.)	
DRILLING AGENCY ECA	DRILLER Brent	DATE STARTED 9/6/12	DATE FINISHED 9/6/12
DRILLING METHOD Direct Push	DRILL BIT	BORING DEPTH (FT.) 28	WELL DEPTH (FT.)
DRILLING EQUIPMENT Geoprobe 5410 truck mounted	SAMPLER	NO. OF SAMPLES SOIL 3	GW 1 OTHER
SIZE AND TYPE OF CASING		DEPTH TO WATER (FT.) FIRST 25.5'	COMPLETION OTHER
TYPE OF PERFORATION	FROM TO FT.		
SIZE AND TYPE OF FILTER PACK	FROM TO FT.	LOGGED BY: JB	CHECKED BY: KB
TYPE OF SEAL	FROM TO FT.		
TYPE OF SEAL	FROM TO FT.		

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG: Lithology	GRAPHIC LOG: Well Construction Diagram	Water Level	SAMPLES: Sampling Interval	SAMPLES: Recovery (%)	SAMPLES: Blow Counts (per 6 in.)	SAMPLES: OVM (ppmv)	REMARKS (Drilling Rate, Fluid Loss, Odor, etc.)
15	clay w/silt no gravel	ML							
16									
17									
18									
19	moist sand & silt mottled	SM							
20									
21									
22									
23									
24									
25	silty clay w/organics	ML		▽					GW sample @1300 B2 First water @25.5'
26	sand & silt	SM							
27									

Bottom of Boring 28'

BORING NUMBER B2 SHEET 2 of 2

AQUIFER SCIENCES, INC.

PROJECT NAME 212563 NO. B3

DRILLING LOCATION 12710 & 12750 Maburg Rd, San Jose, CA		ELEVATION AND DATUM (FT.)	
DRILLING AGENCY ECA	DRILLER Brent	DATE STARTED 9/6/12	DATE FINISHED 9/6/12
DRILLING METHOD Direct Push	DRILL BIT	BORING DEPTH (FT.)	WELL DEPTH (FT.)
DRILLING EQUIPMENT Geoprobe 5410 truck mounted	SAMPLER	NO. OF SAMPLES: SOIL 3	GW / OTHER
SIZE AND TYPE OF CASING		DEPTH TO WATER (FT.): FIRST	COMPLETION / OTHER
TYPE OF PERFORATION	FROM TO FT.		
SIZE AND TYPE OF FILTER PACK	FROM TO FT.	LOGGED BY: FB	CHECKED BY: LS
TYPE OF SEAL	FROM TO FT.		
TYPE OF SEAL	FROM TO FT.		

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG: Lithology	GRAPHIC LOG: Well Construction Diagram	Water Level	SAMPLES: Sampling Interval	SAMPLES: Recovery (%)	SAMPLES: Blow Counts (per 6 in.)	SAMPLES: OVM (ppmv)	REMARKS (Drilling Rate, Fluid Loss, Odor, etc.)
0	silty soil l.brown	ML							start time @ 1055
1									sample B3-1 @ 1100
2									
3									sample B3-3 @ 1105
4	silt l.brown. w/gravel.	GM							
5									sample B3-6 @ 1106
6	Bottom of Boring = 6'								

BORING NUMBER B3 SHEET 1 of 1

AQUIFER SCIENCES, INC.

PROJECT NAME 212563 NO. B4

DRILLING LOCATION 12710 & 12750 Mabury Rd, San Jose, CA			ELEVATION AND DATUM (FT.)		
DRILLING AGENCY ECA	DRILLER Brent		DATE STARTED 9/6/12	DATE FINISHED 9/6/12	
DRILLING METHOD Geoprobe Direct Push	DRILL BIT		BORING DEPTH (FT.) 6	WELL DEPTH (FT.)	
DRILLING EQUIPMENT Geoprobe 5410 tractmounted	SAMPLER		NO. OF SAMPLES SOIL 3	GW	OTHER
SIZE AND TYPE OF CASING			DEPTH TO WATER (FT.) FIRST	COMPLETION	OTHER
TYPE OF PERFORATION	FROM TO FT.		LOGGED BY: JB	CHECKED BY:	
SIZE AND TYPE OF FILTER PACK	FROM TO FT.				
TYPE OF SEAL	FROM TO FT.				
TYPE OF SEAL	FROM TO FT.				

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG: Lithology	GRAPHIC LOG: Well Construction Diagram	Water Level	SAMPLES: Sampling Interval	SAMPLES: Recovery (%)	SAMPLES: Blow Counts (per 6 in.)	SAMPLES: OVM (ppmv)	REMARKS (Drilling Rate, Fluid Loss, Odor, etc.)
0									start time @ 1115
1	organics & brown soil silt w/clay	ML							B4-1 @ 1119
2									
3									sample B4-3 @ 1121
4									
5	sand-silt & brown w/gravel ¼ in ø	GM							
6									sample B4-6 @ 1123
	Bottom of Boring 6'								

BORING NUMBER B4 SHEET 1 of 1

AQUIFER SCIENCES, INC.

PROJECT NAME 212563 NO. B8

DRILLING LOCATION 12710 & 12750 Mabury Rd, San Jose, CA		ELEVATION AND DATUM (FT.)	
DRILLING AGENCY ECA	DRILLER Brent	DATE STARTED 9/6/12	DATE FINISHED 9/6/12
DRILLING METHOD Direct Push	DRILL BIT	BORING DEPTH (FT.) 32	WELL DEPTH (FT.)
DRILLING EQUIPMENT Geoprobe 5410	SAMPLER	NO. OF SAMPLES SOIL 3	GW 1 OTHER
SIZE AND TYPE OF CASING		DEPTH TO WATER (FT.) FIRST	COMPLETION OTHER
TYPE OF PERFORATION	FROM TO FT.		
SIZE AND TYPE OF FILTER PACK	FROM TO FT.	LOGGED BY:	CHECKED BY:
TYPE OF SEAL	FROM TO FT.		
TYPE OF SEAL	FROM TO FT.		

DEPTH (FEET)	DESCRIPTION	GRAPHIC LOG: Lithology	GRAPHIC LOG: Well Construction Diagram	Water Level	SAMPLES: Sampling Interval	SAMPLES: Recovery (%)	SAMPLES: Blow Counts (per 6 in.)	SAMPLES: OVM (ppmv)	REMARKS (Drilling Rate, Fluid Loss, Odor, etc.)
1	organics - silty soil	ML							Arrived @ 1130
									Grab B8-1 @ 1130
2									
3	SILTY sand (brown	SM							sample B8-3 @ 1137
4									
5									
6	lithology not recorded below 6'								sample B8-6 @ 1140
									GW sample B8 @ 1145
	Bottom of Boring = 32'								

BORING NUMBER B8 SHEET 1 of 1

APPENDIX B

LABORATORY REPORT

AND

CHAIN-OF-CUSTODY DOCUMENTATION

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Reported: 09/13/12
Lafayette, CA 94549	Client P.O.:	Date Completed: 09/12/12

WorkOrder: 1209114

September 13, 2012

Dear Cheri:

Enclosed within are:

1) The results of the **14** analyzed samples from your project: **#212563,**
2) QC data for the above samples, and
3) A copy of the chain of custody.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing McCampbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McCampbell Analytical, Inc.

The analytical results relate only to the items tested.

1209114

AQUIFER SCIENCES, INC.

3680-A Mt. Diablo Blvd.
Lafayette, CA 94549

(925) 283-9098
(925) 283-9133 FAX

CHAIN OF CUSTODY

GLOBAL ID# —

Project Number: 212563

Sampler(s) Signature(s): [signature]

Results: ☒ Email ☐ FAX ☐ EDF GeoTracker IE

Turn-around time: ☐ 10-day ☒ 5-day ☐ 24 hr Rush

Contact: Becky or Chuni

Email: [illegible]@aquifer.com
cwhipp@aquifercom; jevans@aquifercom

Sample Identification	Date	Time	Sample Type	Number of Containers and Preservative: Unpreserved	HCl	HNO_3	H_2SO_4	NaOH	Diesel	Motor Oil	Gasoline	BTEX	MTBE	Halogenated VOCs	Aromatic VOCs	EPA 624 (8260)	VOCs	Fuel Oxygenates	EPA 625 / 8270	SVOCs	PAHs	Metals: EPA 8081	Pesticides	PCBs	CAM 17	LUFT 5	13 Priority Poll	Arsenic	Lead	Comments
B1-1	9/6/12	0939	soil	1					X	X						X			X				X					X	X	Quote #2606
B1-3		0941		1																										Must meet ESLs 8081
B2-1		0955		1					X	X						X			X											
B2-3		1000		1																										
B3-1		1100		1																										
B3-3		1105		1																										
B4-1		1119		1																										
B4-3		1121		1																										
B5-1		1245		1																										
B6-1		~~1235~~ 1235		1																										
B7-1		1230		1																										
B8-1		1130		1																										
B8-3		1137		1																										
B9-1	↓	1238	↓	1																										

Relinquished by	Date	Time	Received by	Date	Time
[signature]	9/6/12	1528	[signature]	9/6/12	1528

ICE/t° 3.8
GOOD CONDITION ✓ APPROPRIATE ✓
HEAD SPACE ABSENT ____ CONTAINERS ✓
DECHLORINATED IN LAB ____ PRESERVED IN LAB ____

PRESERVATION: VOAS ____ O&G ____ METALS ____ OTHER ____

Analytical laboratory: McCampbell Analytical

Shipping notes: via MM

Page 1 of 1

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1209114 **ClientCode: ASI**

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ▣ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Report to:
Cheri Whipp
Aquifer Sciences, Inc.
3680-A Mt. Diablo Blvd
Lafayette, CA 94549
925-283-9098 FAX: 925-283-9133

Email: ras@aquifer.com; cwhipp@aquifer.com
cc: jevans@aquifer.com
PO:
ProjectNo: #212563

Bill to:
Accounts Payable
Aquifer Sciences, Inc.
3680-A Mt. Diablo Blvd
Lafayette, CA 94549

Requested TAT: 5 days

Date Received: **09/06/2012**
Date Printed: **09/06/2012**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below) 1	2	3	4	5	6	7	8	9	10	11	12
1209114-001	B1-1	Soil	9/6/2012 9:39	☐	A	A		A	A							
1209114-002	B1-3	Soil	9/6/2012 9:41	☐	A			A								
1209114-003	B2-1	Soil	9/6/2012 9:55	☐	A	A	A		A							
1209114-004	B2-3	Soil	9/6/2012 10:00	☐	A			A								
1209114-005	B3-1	Soil	9/6/2012 11:00	☐	A		A									
1209114-006	B3-3	Soil	9/6/2012 11:05	☐	A			A								
1209114-007	B4-1	Soil	9/6/2012 11:19	☐	A			A								
1209114-008	B4-3	Soil	9/6/2012 11:21	☐	A			A								
1209114-009	B5-1	Soil	9/6/2012 12:45	☐	A			A	A							
1209114-010	B6-1	Soil	9/6/2012 12:35	☐					A							
1209114-011	B7-1	Soil	9/6/2012 12:30	☐					A							
1209114-012	B8-1	Soil	9/6/2012 11:30	☐	A			A	A							
1209114-013	B8-3	Soil	9/6/2012 11:37	☐	A			A								
1209114-014	B9-1	Soil	9/6/2012 12:38	☐	A			A								

Test Legend:

1	8081_S	2	8260B_S	3	CAM17MS_S	4	PBASMS_S	5	TPH(DMO)WSG_S
6		7		8		9		10	
11		12							

The following SampIDs: 001A, 003A, 009A, 010A, 011A, 012A contain testgroup.

Prepared by: Maria Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Sample Receipt Checklist

Client Name: **Aquifer Sciences, Inc.**
Date and Time Received: **9/6/2012 6:04:36 PM**

Project Name: **#212563**
LogIn Reviewed by: Maria Venegas

WorkOrder N°: **1209114** Matrix: Soil
Carrier: Client Drop-In

Chain of Custody (COC) Information

Chain of custody present?	Yes ☑	No ☐
Chain of custody signed when relinquished and received?	Yes ☑	No ☐
Chain of custody agrees with sample labels?	Yes ☑	No ☐
Sample IDs noted by Client on COC?	Yes ☑	No ☐
Date and Time of collection noted by Client on COC?	Yes ☑	No ☐
Sampler's name noted on COC?	Yes ☑	No ☐

Sample Receipt Information

Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	NA ☑
Shipping container/cooler in good condition?	Yes ☑	No ☐	
Samples in proper containers/bottles?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	

Sample Preservation and Hold Time (HT) Information

All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature	Cooler Temp: 3.8°C		NA ☐
Water - VOA vials have zero headspace / no bubbles?	Yes ☐	No ☐	No VOA vials submitted ☑
Sample labels checked for correct preservation?	Yes ☑	No ☐	
Metal - pH acceptable upon receipt (pH<2)?	Yes ☐	No ☐	NA ☑
Samples Received on Ice?	Yes ☐	No ☑	

** NOTE: If the "No" box is checked, see comments below.*

Comments:

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/07/12-09/08/12

Organochlorine Pesticides by GC-ECD (8080 Basic Target List)*

Extraction Method: SW3550B | Analytical Method: SW8081A | Work Order: 1209114

Lab ID	1209114-001A	1209114-002A	1209114-003A	1209114-004A	Reporting Limit for DF =1	
Client ID	B1-1	B1-3	B2-1	B2-3		
Matrix	S	S	S	S		
DF	1	1	1	1	MDL	RL
Compound	**Concentration**				mg/kg	mg/kg
Aldrin	ND	ND	ND	ND	0.00027	0.001
a-BHC	ND	ND	ND	ND	0.0001	0.001
b-BHC	ND	ND	ND	ND	0.00025	0.001
d-BHC	ND	ND	ND	ND	0.00037	0.001
g-BHC	ND	ND	ND	ND	0.000097	0.001
Chlordane (Technical)	ND	ND	ND	ND	0.016	0.025
a-Chlordane	ND	ND	ND	ND	0.00047	0.001
g-Chlordane	ND	ND	ND	ND	0.00021	0.001
p,p-DDD	ND	ND	ND	ND	0.00014	0.001
p,p-DDE	0.00088,J	ND	0.0039	0.00067,J	0.00032	0.001
p,p-DDT	ND	ND	0.0070	ND	0.00043	0.001
Dieldrin	ND	ND	ND	ND	0.00033	0.001
Endosulfan I	ND	ND	ND	ND	0.00065	0.001
Endosulfan II	ND	ND	ND	ND	0.0002	0.001
Endosulfan sulfate	ND	ND	ND	ND	0.00063	0.001
Endrin	ND	ND	ND	ND	0.00097	0.001
Endrin aldehyde	ND	ND	ND	ND	0.0002	0.001
Endrin ketone	ND	ND	ND	ND	0.00013	0.001
Heptachlor	ND	ND	ND	ND	0.00021	0.001
Heptachlor epoxide	ND	ND	ND	ND	0.0002	0.001
Hexachlorobenzene	ND	ND	ND	ND	0.00027	0.01
Hexachlorocyclopentadiene	ND	ND	ND	ND	0.0004	0.02
Methoxychlor	ND	ND	ND	ND	0.00089	0.001
Toxaphene	ND	ND	ND	ND	0.035	0.05
Surrogate Recoveries (%)						
%SS:	111	110	100	107		
Comments						

* water samples in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor.

surrogate diluted out of range or surrogate coelutes with another peak/sample contains surrogate.

J) analyte detected below quantitation limits

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/07/12-09/08/12

Organochlorine Pesticides by GC-ECD (8080 Basic Target List)*

Extraction Method: SW3550B | Analytical Method: SW8081A | Work Order: 1209114

Lab ID	1209114-005A	1209114-006A	1209114-007A	1209114-008A	Reporting Limit for DF =1	
Client ID	B3-1	B3-3	B4-1	B4-3		
Matrix	S	S	S	S		
DF	1	1	1	1	MDL	RL
Compound	**Concentration**				mg/kg	mg/kg
Aldrin	ND	ND	ND	ND	0.00027	0.001
a-BHC	ND	ND	ND	ND	0.0001	0.001
b-BHC	ND	ND	ND	ND	0.00025	0.001
d-BHC	ND	ND	ND	ND	0.00037	0.001
g-BHC	ND	ND	0.00021,J	ND	0.000097	0.001
Chlordane (Technical)	ND	ND	ND	ND	0.016	0.025
a-Chlordane	ND	ND	ND	ND	0.00047	0.001
g-Chlordane	ND	ND	0.0014	ND	0.00021	0.001
p,p-DDD	ND	ND	0.0017	ND	0.00014	0.001
p,p-DDE	0.0044	0.00087,J	0.23	0.0010	0.00032	0.001
p,p-DDT	ND	0.0067	0.036	ND	0.00043	0.001
Dieldrin	ND	ND	ND	ND	0.00033	0.001
Endosulfan I	ND	ND	ND	ND	0.00065	0.001
Endosulfan II	ND	ND	ND	ND	0.0002	0.001
Endosulfan sulfate	ND	ND	ND	ND	0.00063	0.001
Endrin	ND	ND	ND	ND	0.00097	0.001
Endrin aldehyde	ND	ND	ND	ND	0.0002	0.001
Endrin ketone	ND	ND	ND	ND	0.00013	0.001
Heptachlor	ND	ND	ND	ND	0.00021	0.001
Heptachlor epoxide	ND	ND	ND	ND	0.0002	0.001
Hexachlorobenzene	ND	ND	ND	ND	0.00027	0.01
Hexachlorocyclopentadiene	ND	ND	ND	ND	0.0004	0.02
Methoxychlor	ND	ND	ND	ND	0.00089	0.001
Toxaphene	ND	ND	ND	ND	0.035	0.05
Surrogate Recoveries (%)						
%SS:	102	104	110	89		
Comments						

* water samples in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor.

surrogate diluted out of range or surrogate coelutes with another peak/sample contains surrogate.

J) analyte detected below quantitation limits

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/07/12-09/08/12

Organochlorine Pesticides by GC-ECD (8080 Basic Target List)*

Extraction Method: SW3550B | Analytical Method: SW8081A | Work Order: 1209114

Lab ID	1209114-009A	1209114-012A	1209114-013A	1209114-014A	Reporting Limit for DF =1	
Client ID	B5-1	B8-1	B8-3	B9-1		
Matrix	S	S	S	S		
DF	1	1	1	1	MDL	RL
Compound	**Concentration**				mg/kg	mg/kg
Aldrin	ND	ND	ND	ND	0.00027	0.001
a-BHC	ND	ND	ND	ND	0.0001	0.001
b-BHC	ND	ND	ND	ND	0.00025	0.001
d-BHC	ND	ND	ND	ND	0.00037	0.001
g-BHC	ND	ND	ND	ND	0.000097	0.001
Chlordane (Technical)	0.018,J	ND	ND	ND	0.016	0.025
a-Chlordane	0.0032	ND	ND	ND	0.00047	0.001
g-Chlordane	0.0015	ND	ND	ND	0.00021	0.001
p,p-DDD	0.00080,J	ND	ND	ND	0.00014	0.001
p,p-DDE	0.047	ND	ND	0.0060	0.00032	0.001
p,p-DDT	0.036	ND	ND	0.0072	0.00043	0.001
Dieldrin	ND	ND	ND	ND	0.00033	0.001
Endosulfan I	ND	ND	ND	ND	0.00065	0.001
Endosulfan II	ND	ND	ND	ND	0.0002	0.001
Endosulfan sulfate	ND	ND	ND	ND	0.00063	0.001
Endrin	ND	ND	ND	ND	0.00097	0.001
Endrin aldehyde	ND	ND	ND	ND	0.0002	0.001
Endrin ketone	ND	ND	ND	ND	0.00013	0.001
Heptachlor	ND	ND	ND	ND	0.00021	0.001
Heptachlor epoxide	ND	ND	ND	ND	0.0002	0.001
Hexachlorobenzene	ND	ND	ND	ND	0.00027	0.01
Hexachlorocyclopentadiene	ND	ND	ND	ND	0.0004	0.02
Methoxychlor	ND	ND	ND	ND	0.00089	0.001
Toxaphene	ND	ND	ND	ND	0.035	0.05
Surrogate Recoveries (%)						
%SS:	113	106	97	102		
Comments						

* water samples in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor.

surrogate diluted out of range or surrogate coelutes with another peak/sample contains surrogate.

J) analyte detected below quantitation limits

McCampbell Analytical, Inc.
"When Quality Counts"
1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/11/12

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B | Analytical Method: SW8260B | Work Order: 1209114

Lab ID	1209114-001A
Client ID	B1-1
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	Chloroform	ND	1.0	0.005
Chloromethane	ND	1.0	0.005	2-Chlorotoluene	ND	1.0	0.005
4-Chlorotoluene	ND	1.0	0.005	Dibromochloromethane	ND	1.0	0.005
1,2-Dibromo-3-chloropropane	ND	1.0	0.004	1,2-Dibromoethane (EDB)	ND	1.0	0.004
Dibromomethane	ND	1.0	0.005	1,2-Dichlorobenzene	ND	1.0	0.005
1,3-Dichlorobenzene	ND	1.0	0.005	1,4-Dichlorobenzene	ND	1.0	0.005
Dichlorodifluoromethane	ND	1.0	0.005	1,1-Dichloroethane	ND	1.0	0.005
1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.004	1,1-Dichloroethene	ND	1.0	0.005
cis-1,2-Dichloroethene	ND	1.0	0.005	trans-1,2-Dichloroethene	ND	1.0	0.005
1,2-Dichloropropane	ND	1.0	0.005	1,3-Dichloropropane	ND	1.0	0.005
2,2-Dichloropropane	ND	1.0	0.005	1,1-Dichloropropene	ND	1.0	0.005
cis-1,3-Dichloropropene	ND	1.0	0.005	trans-1,3-Dichloropropene	ND	1.0	0.005
Diisopropyl ether (DIPE)	ND	1.0	0.005	Ethylbenzene	ND	1.0	0.005
Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005	Freon 113	ND	1.0	0.1
Hexachlorobutadiene	ND	1.0	0.005	Hexachloroethane	ND	1.0	0.005
2-Hexanone	ND	1.0	0.005	Isopropylbenzene	ND	1.0	0.005
4-Isopropyl toluene	ND	1.0	0.005	Methyl-t-butyl ether (MTBE)	ND	1.0	0.005
Methylene chloride	ND	1.0	0.005	4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005
Naphthalene	ND	1.0	0.005	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes, Total	ND	1.0	0.005

Surrogate Recoveries (%)

%SS1:	114	%SS2:	112
%SS3:	113		

Comments:

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

McCampbell Analytical, Inc.
"When Quality Counts"
1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/11/12

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B | Analytical Method: SW8260B | Work Order: 1209114

Lab ID	1209114-003A
Client ID	B2-1
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	Chloroform	ND	1.0	0.005
Chloromethane	ND	1.0	0.005	2-Chlorotoluene	ND	1.0	0.005
4-Chlorotoluene	ND	1.0	0.005	Dibromochloromethane	ND	1.0	0.005
1,2-Dibromo-3-chloropropane	ND	1.0	0.004	1,2-Dibromoethane (EDB)	ND	1.0	0.004
Dibromomethane	ND	1.0	0.005	1,2-Dichlorobenzene	ND	1.0	0.005
1,3-Dichlorobenzene	ND	1.0	0.005	1,4-Dichlorobenzene	ND	1.0	0.005
Dichlorodifluoromethane	ND	1.0	0.005	1,1-Dichloroethane	ND	1.0	0.005
1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.004	1,1-Dichloroethene	ND	1.0	0.005
cis-1,2-Dichloroethene	ND	1.0	0.005	trans-1,2-Dichloroethene	ND	1.0	0.005
1,2-Dichloropropane	ND	1.0	0.005	1,3-Dichloropropane	ND	1.0	0.005
2,2-Dichloropropane	ND	1.0	0.005	1,1-Dichloropropene	ND	1.0	0.005
cis-1,3-Dichloropropene	ND	1.0	0.005	trans-1,3-Dichloropropene	ND	1.0	0.005
Diisopropyl ether (DIPE)	ND	1.0	0.005	Ethylbenzene	ND	1.0	0.005
Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005	Freon 113	ND	1.0	0.1
Hexachlorobutadiene	ND	1.0	0.005	Hexachloroethane	ND	1.0	0.005
2-Hexanone	ND	1.0	0.005	Isopropylbenzene	ND	1.0	0.005
4-Isopropyl toluene	ND	1.0	0.005	Methyl-t-butyl ether (MTBE)	ND	1.0	0.005
Methylene chloride	ND	1.0	0.005	4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005
Naphthalene	ND	1.0	0.005	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes, Total	ND	1.0	0.005

Surrogate Recoveries (%)

%SS1:	113	%SS2:	110
%SS3:	113		

Comments:

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

McCampbell Analytical, Inc.
"When Quality Counts"
1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed 09/08/12

CAM / CCR 17 Metals*

Lab ID	1209114-003A	1209114-005A			Reporting Limit for DF =1; ND means not detected above the reporting limit	
Client ID	B2-1	B3-1				
Matrix	S	S			S	W
Extraction Type	TOTAL	TOTAL			mg/Kg	mg/L

ICP Metals, Concentration*

Analytical Method: SW6020 Extraction Method: SW3050B Work Order: 1209114

Dilution Factor	1	1			1	1
Antimony	1.6	0.54			0.5	NA
Arsenic	10	10			0.5	NA
Barium	490	240			5.0	NA
Beryllium	0.55	ND			0.5	NA
Cadmium	0.48	0.26			0.25	NA
Chromium	65	56			0.5	NA
Cobalt	14	12			0.5	NA
Copper	59	53			0.5	NA
Lead	25	23			0.5	NA
Mercury	0.087	0.066			0.05	NA
Molybdenum	0.93	0.83			0.5	NA
Nickel	86	71			0.5	NA
Selenium	ND	ND			0.5	NA
Silver	ND	ND			0.5	NA
Thallium	ND	ND			0.5	NA
Vanadium	52	44			0.5	NA
Zinc	230	61			5.0	NA
%SS:	126	111				

Comments

*water samples are reported in µg/L, product/oil/non-aqueous liquid samples and all TCLP / STLC / DISTLC / SPLP extracts are reported in mg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter.

means surrogate diluted out of range; ND means not detected above the reporting limit/method detection limit; N/A means not applicable to this sample or instrument.

TOTAL = Hot acid digestion of a representative sample aliquot.
TRM = Total recoverable metals is the "direct analysis" of a sample aliquot taken from its acid-preserved container.
DISS = Dissolved metals by direct analysis of 0.45 µm filtered and acidified sample.
%SS = Percent Recovery of Surrogate Standard
DF = Dilution Factor

DHS ELAP Certification 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed 09/07/12-09/08/12

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*

Extraction method: SW5030B Analytical methods: SW8015Bm Work Order: 1209114

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS	Comments
001A	B1-1	S	ND	1	114	
003A	B2-1	S	ND	1	108	
009A	B5-1	S	ND	1	102	
010A	B6-1	S	ND	1	100	
011A	B7-1	S	ND	1	102	
012A	B8-1	S	ND	1	111	

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	NA	NA
	S	1.0	mg/Kg

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:

DHS ELAP Certification 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/08/12-09/11/12

Arsenic and Lead*

Extraction method: SW3050B | Analytical methods: SW6020 | Work Order: 1209114

Lab ID	Client ID	Matrix	Extraction Type	Arsenic	Lead	DF	% SS	Comments
001A	B1-1	S	TOTAL	6.3	7.6	1	129	
002A	B1-3	S	TOTAL	9.5	8.4	1	126	
004A	B2-3	S	TOTAL	7.5	15	1	116	
006A	B3-3	S	TOTAL	9.1	8.7	1	130	
007A	B4-1	S	TOTAL	8.6	14	1	121	
008A	B4-3	S	TOTAL	7.9	7.5	1	111	
009A	B5-1	S	TOTAL	6.3	17	1	103	
012A	B8-1	S	TOTAL	8.5	48	1	116	
013A	B8-3	S	TOTAL	6.3	6.3	1	109	
014A	B9-1	S	TOTAL	8.3	13	1	124	

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	TOTAL	NA	NA	NA
	S	TOTAL	0.5	0.5	mg/Kg

*water samples are reported in µg/L, product/oil/non-aqueous liquid samples and all TCLP / STLC / DISTLC / SPLP extracts are reported in mg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter.

**Soil final results are based on 17% water content relative to Soil initial.

means surrogate diluted out of range; ND means not detected above the reporting limit/method detection limit; N/A means not applicable to this sample or instrument.

TOTAL = Hot acid digestion of a representative sample aliquot.
TRM = Total recoverable metals is the "direct analysis" of a sample aliquot taken from its acid-preserved container.
DISS = Dissolved metals by direct analysis of 0.45 µm filtered and acidified sample.

%SS = Percent Recovery of Surrogate Standard
DF = Dilution Factor

DHS ELAP Certification 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/07/12-09/13/12

Total Extractable Petroleum Hydrocarbons with Silica Gel Clean-Up*

Extraction method: SW3550B/3630C Analytical methods: SW8015B Work Order: 1209114

Lab ID	Client ID	Matrix	TPH-Diesel (C10-C23)	TPH-Motor Oil (C18-C36)	DF	% SS	Comments
1209114-001A	B1-1	S	2.4	ND	1	90	e2
1209114-003A	B2-1	S	3.6	7.9	1	102	e7,e2
1209114-009A	B5-1	S	4.1	26	1	105	e7,e2
1209114-010A	B6-1	S	5.0	28	2	104	e7,e2
1209114-011A	B7-1	S	6.2	49	2	81	e7,e2
1209114-012A	B8-1	S	2.7	ND	1	93	e2

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	NA	NA	ug/L
	S	1.0	5.0	mg/Kg

* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

%SS = Percent Recovery of Surrogate Standard. DF = Dilution Factor

The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:
e2) diesel range compounds are significant; no recognizable pattern
e7) oil range compounds are significant

DHS ELAP Certification 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8081A

W.O. Sample Matrix: Soil | QC Matrix: Soil | BatchID: 70513 | WorkOrder: 1209114

EPA Method: SW8081A **Extraction: SW3550B** **Spiked Sample ID: 1209114-005A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	mg/kg	mg/kg	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
Aldrin	ND	0.050	115	117	1.36	108	70 - 130	30	70 - 130
g-BHC	ND	0.050	105	106	0.368	95.6	70 - 130	30	70 - 130
p,p-DDT	ND	0.050	108	110	2.00	70.8	70 - 130	30	70 - 130
Dieldrin	ND	0.050	111	115	3.61	103	70 - 130	30	70 - 130
Endrin	ND	0.050	106	108	2.20	96.1	70 - 130	30	70 - 130
Heptachlor	ND	0.050	118	120	1.33	108	70 - 130	30	70 - 130
%SS:	102	0.050	106	111	5.01	93	70 - 130	30	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70513 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209114-001A	09/06/12 9:39 AM	09/06/12	09/08/12 2:48 AM	1209114-002A	09/06/12 9:41 AM	09/06/12	09/08/12 6:54 AM
1209114-003A	09/06/12 9:55 AM	09/06/12	09/08/12 6:20 AM	1209114-004A	09/06/12 10:00 AM	09/06/12	09/08/12 10:27 AM
1209114-005A	09/06/12 11:00 AM	09/06/12	09/08/12 8:26 AM	1209114-006A	09/06/12 11:05 AM	09/06/12	09/08/12 7:29 AM
1209114-007A	09/06/12 11:19 AM	09/06/12	09/08/12 9:50 AM	1209114-008A	09/06/12 11:21 AM	09/06/12	09/08/12 1:52 AM
1209114-009A	09/06/12 12:45 PM	09/06/12	09/07/12 11:03 PM	1209114-012A	09/06/12 11:30 AM	09/06/12	09/08/12 8:38 AM
1209114-013A	09/06/12 11:37 AM	09/06/12	09/08/12 8:04 AM	1209114-014A	09/06/12 12:38 PM	09/06/12	09/08/12 9:13 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

surrogate diluted out of range or surrogate coelutes with another peak

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix inteference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

QA/QC Officer

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Soil | QC Matrix: Soil | BatchID: 70482 | WorkOrder: 1209114

EPA Method: SW8021B/8015Bm **Extraction: SW5030B** **Spiked Sample ID: 1209093-012A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
TPH(btex)£	ND	0.60	125	123	1.01	122	70 - 130	20	70 - 130
MTBE	ND	0.10	110	109	1.09	112	70 - 130	20	70 - 130
Benzene	ND	0.10	116	111	4.23	112	70 - 130	20	70 - 130
Toluene	ND	0.10	114	110	3.79	111	70 - 130	20	70 - 130
Ethylbenzene	ND	0.10	114	111	2.34	111	70 - 130	20	70 - 130
Xylenes	ND	0.30	116	114	1.43	113	70 - 130	20	70 - 130
%SS:	108	0.10	100	113	12.1	94	70 - 130	20	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70482 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209114-001A	09/06/12 9:39 AM	09/06/12	09/08/12 7:12 PM	1209114-003A	09/06/12 9:55 AM	09/06/12	09/08/12 8:12 PM
1209114-009A	09/06/12 12:45 PM	09/06/12	09/07/12 7:42 PM	1209114-010A	09/06/12 12:35 PM	09/06/12	09/07/12 8:13 PM
1209114-011A	09/06/12 12:30 PM	09/06/12	09/07/12 8:43 PM	1209114-012A	09/06/12 11:30 AM	09/06/12	09/08/12 8:42 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

QA/QC Officer

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Soil | QC Matrix: Soil | BatchID: 70485 | WorkOrder: 1209114

EPA Method: SW8260B **Extraction: SW5030B** **Spiked Sample ID: 1209093-012A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
tert-Amyl methyl ether (TAME)	ND	0.050	75.3	77.2	2.54	84.2	56 - 94	30	50 - 135
Benzene	ND	0.050	87.2	87.5	0.352	94.3	60 - 106	30	70 - 137
t-Butyl alcohol (TBA)	ND	0.20	88.4	89	0.738	96.1	56 - 140	30	50 - 143
Chlorobenzene	ND	0.050	85.9	89	3.58	93	61 - 108	30	69 - 133
1,2-Dibromoethane (EDB)	ND	0.050	83.3	85.8	2.95	89	54 - 119	30	61 - 135
1,2-Dichloroethane (1,2-DCA)	ND	0.050	87.7	87.3	0.361	91.4	48 - 115	30	64 - 133
1,1-Dichloroethene	ND	0.050	86.4	88.8	2.70	87.1	46 - 111	30	65 - 142
Diisopropyl ether (DIPE)	ND	0.050	85.7	85.3	0.451	91.8	53 - 111	30	65 - 134
Ethyl tert-butyl ether (ETBE)	ND	0.050	82.4	82.4	0	89.1	61 - 104	30	61 - 127
Methyl-t-butyl ether (MTBE)	ND	0.050	82.7	83.5	0.993	88.4	58 - 107	30	65 - 130
Toluene	ND	0.050	94.7	95.5	0.874	99.8	64 - 114	30	70 - 146
Trichloroethene	ND	0.050	94.3	94.6	0.309	99.3	60 - 116	30	66 - 143
%SS1:	104	0.12	104	102	1.47	102	64 - 117	30	70 - 130
%SS2:	109	0.12	111	111	0	110	79 - 133	30	70 - 130
%SS3:	109	0.012	97	98	0.778	104	88 - 121	30	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70485 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209114-001A	09/06/12 9:39 AM	09/06/12	09/11/12 5:14 PM	1209114-003A	09/06/12 9:55 AM	09/06/12	09/11/12 5:54 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.

DHS ELAP Certification 1644

QA/QC Officer

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW6020

W.O. Sample Matrix: Soil | QC Matrix: Soil | BatchID: 70486 | WorkOrder: 1209114

EPA Method: SW6020 **Extraction: SW3050B** **Spiked Sample ID: 1209093-014A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
Antimony	ND	50	113	105	7.74	92.6	75 - 125	20	75 - 125
Arsenic	2.2	50	113	102	9.88	99.2	75 - 125	20	75 - 125
Barium	50	500	122	111	8.71	89.6	75 - 125	20	75 - 125
Beryllium	ND	50	114	104	8.78	96.4	75 - 125	20	75 - 125
Cadmium	ND	50	111	101	9.39	95.1	75 - 125	20	75 - 125
Chromium	21	50	116	103	8.33	110	75 - 125	20	75 - 125
Cobalt	5.0	50	115	104	9.87	95.9	75 - 125	20	75 - 125
Copper	6.9	50	113	103	8.17	108	75 - 125	20	75 - 125
Lead	2.2	50	111	100	9.36	94.1	75 - 125	20	75 - 125
Mercury	0.068	1.25	117	107	8.71	99.4	75 - 125	20	75 - 125
Molybdenum	ND	50	105	96.4	8.58	98	75 - 125	20	75 - 125
Nickel	21	50	117	105	8.18	108	75 - 125	20	75 - 125
Selenium	ND	50	110	104	5.09	99.8	75 - 125	20	75 - 125
Silver	ND	50	104	97.6	6.58	95.5	75 - 125	20	75 - 125
Thallium	ND	50	107	101	6.04	93.3	75 - 125	20	75 - 125
Vanadium	33	50	119	104	8.27	108	75 - 125	20	75 - 125
Zinc	19	500	114	104	8.67	104	75 - 125	20	75 - 125
%SS:	114	500	125	114	9.41	92	70 - 130	20	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70486 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209114-001A	09/06/12 9:39 AM	09/06/12	09/08/12 8:16 AM	1209114-002A	09/06/12 9:41 AM	09/06/12	09/08/12 8:24 AM
1209114-003A	09/06/12 9:55 AM	09/06/12	09/08/12 8:32 AM	1209114-004A	09/06/12 10:00 AM	09/06/12	09/08/12 8:40 AM
1209114-005A	09/06/12 11:00 AM	09/06/12	09/08/12 9:11 AM	1209114-006A	09/06/12 11:05 AM	09/06/12	09/08/12 9:19 AM
1209114-007A	09/06/12 11:19 AM	09/06/12	09/11/12 4:16 AM	1209114-008A	09/06/12 11:21 AM	09/06/12	09/11/12 4:24 AM

MMS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

* MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

QA/QC Officer

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW6020

W.O. Sample Matrix: Soil | QC Matrix: Soil | BatchID: 70515 | WorkOrder: 1209114

EPA Method: SW6020 **Extraction: SW3050B** **Spiked Sample ID: 1209114-014A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
Arsenic	8.3	50	88.6	86.7	1.90	102	75 - 125	20	75 - 125
Lead	13	50	87.2	87.5	0.230	102	75 - 125	20	75 - 125
%SS:	124	500	109	107	1.59	110	70 - 130	20	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70515 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209114-009A	09/06/12 12:45 PM	09/06/12	09/11/12 4:31 AM	1209114-012A	09/06/12 11:30 AM	09/06/12	09/11/12 4:39 AM
1209114-013A	09/06/12 11:37 AM	09/06/12	09/11/12 4:47 AM	1209114-014A	09/06/12 12:38 PM	09/06/12	09/08/12 1:43 PM

MMS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

* MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

QA/QC Officer

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8015B

W.O. Sample Matrix: Soil | QC Matrix: Soil | BatchID: 70412 | WorkOrder: 1209114

EPA Method: SW8015B **Extraction: SW3550B/3630C** **Spiked Sample ID: 1208797-001A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	mg/Kg	mg/Kg	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
TPH-Diesel (C10-C23)	17	40	NR	NR	NR	129	N/A	N/A	70 - 130
%SS:	100	25	NR	NR	NR	117	N/A	N/A	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70412 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209114-001A	09/06/12 9:39 AM	09/06/12	09/11/12 8:48 AM	1209114-003A	09/06/12 9:55 AM	09/06/12	09/12/12 1:31 AM
1209114-009A	09/06/12 12:45 PM	09/06/12	09/13/12 1:15 PM	1209114-010A	09/06/12 12:35 PM	09/06/12	09/13/12 3:47 PM
1209114-011A	09/06/12 12:30 PM	09/06/12	09/12/12 12:22 AM	1209114-012A	09/06/12 11:30 AM	09/06/12	09/07/12 3:11 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

QA/QC Officer

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Reported: 09/12/12
Lafayette, CA 94549	Client P.O.:	Date Completed: 09/11/12

WorkOrder: 1209113

September 19, 2012

Dear Cheri:

Enclosed within are:

1) The results of the **2** analyzed samples from your project: **#212563,**
2) QC data for the above samples, and
3) A copy of the chain of custody.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing McCampbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McCampbell Analytical, Inc.

The analytical results relate only to the items tested.

1209113

AQUIFER SCIENCES, INC.

3680-A Mt. Diablo Blvd.
Lafayette, CA 94549
(925) 283-9098
(925) 283-9133 FAX

CHAIN OF CUSTODY

GLOBAL ID# —

Project Number: 212563

Sampler(s) Signature(s): [signature]

Results: ☒ Email ☐ FAX ☐ EDF GeoTracker

Turn-around time: ☐ 10-day ☒ 5-day ☐ ___

Contact: Becky or Cheri

Email: ras @aquifer.com
chhipp@aquifer.com; jevans@aquifer.com

Analyses: ☒ Diesel ☒ Motor Oil ☒ silica gel cleanup; ☒ Gasoline ☐ BTEX ☐ MTBE; EPA ☐ Halogenated VOCs ☐ Aromatic VOCs; EPA 624 / (8260) ☒ VOCs ☒ Fuel Oxygenates; EPA 625 / 8270 ☐ SVOCs ☐ PAHs; EPA ☐ Pesticides ☐ PCBs; Metals: ☒ CAM 17 ☐ 13 Priority Poll ☐ LUFT 5 ☐

	Sample Identification	Date	Time	Sample Type	Unpreserved	HCl	HNO_3	H_2SO_4	NaOH		Diesel / Motor Oil / silica gel cleanup	Gasoline / BTEX / MTBE	EPA Halogenated / Aromatic VOCs	EPA 624/8260 VOCs / Fuel Oxygenates	EPA 625/8270 SVOCs / PAHs	EPA Pesticides / PCBs	Metals: CAM 17 / LUFT 5 / 13 Priority Poll						Comments
+1	B2	9/6/12	1300	H_2O	1	7					X	X		X			X						Quote # 2606
+2	B8	9/6/12	1145	H_2O		7					X	X		X									Meet ESLs for 8081
																							Filter & preserve then analyse

ICE/t° 3.8
GOOD CONDITION ✓
HEAD SPACE ABSENT ✓
DECHLORINATED IN LAB ___
APPROPRIATE CONTAINERS ✓
PRESERVED IN LAB ___
PRESERVATION ✓ VOAS | O&G | METALS | OTHER

Relinquished by	Date	Time	Received by	Date	Time
[signature]	9/6/12	1528	[signature]	9/6/12	1528

Analytical laboratory: McCampbell Analytical

Shipping notes: n/a NM

Page 1 of 1

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1209113 **ClientCode: ASI**

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Report to:
Cheri Whipp
Aquifer Sciences, Inc.
3680-A Mt. Diablo Blvd
Lafayette, CA 94549
925-283-9098 FAX: 925-283-9133

Email: ras@aquifer.com; cwhipp@aquifer.com
cc: jevans@aquifer.com
PO:
ProjectNo: #212563

Bill to:
Accounts Payable
Aquifer Sciences, Inc.
3680-A Mt. Diablo Blvd
Lafayette, CA 94549

Requested TAT: 5 days

Date Received: **09/06/2012**
Date Printed: **09/06/2012**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1209113-001	B2	Water	9/6/2012 13:00	☐	B	C	A	C								
1209113-002	B8	Water	9/6/2012 11:45	☐	B		A									

Test Legend:

1	8260B_W	2	CAM17MS_DISS	3	G-MBTEX_W	4	PRDISSOLVED	5	
6		7		8		9		10	
11		12							

The following SampIDs: 001A, 002A contain testgroup.

Prepared by: Maria Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Sample Receipt Checklist

Client Name: **Aquifer Sciences, Inc.**
Date and Time Received: **9/6/2012 5:47:57 PM**

Project Name: **#212563**
LogIn Reviewed by: Maria Venegas

WorkOrder N°: **1209113** Matrix: Water
Carrier: Client Drop-In

Chain of Custody (COC) Information

Chain of custody present?	Yes ☑	No ☐
Chain of custody signed when relinquished and received?	Yes ☑	No ☐
Chain of custody agrees with sample labels?	Yes ☑	No ☐
Sample IDs noted by Client on COC?	Yes ☑	No ☐
Date and Time of collection noted by Client on COC?	Yes ☑	No ☐
Sampler's name noted on COC?	Yes ☑	No ☐

Sample Receipt Information

Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	NA ☑
Shipping container/cooler in good condition?	Yes ☑	No ☐	
Samples in proper containers/bottles?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	

Sample Preservation and Hold Time (HT) Information

All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature	Cooler Temp: 3.8°C		NA ☐
Water - VOA vials have zero headspace / no bubbles?	Yes ☐	No ☐	No VOA vials submitted ☑
Sample labels checked for correct preservation?	Yes ☑	No ☐	
Metal - pH acceptable upon receipt (pH<2)?	Yes ☐	No ☐	NA ☑
Samples Received on Ice?	Yes ☑	No ☐	

(Ice Type: WET ICE)

** NOTE: If the "No" box is checked, see comments below.*

Comments:

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/12/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/12/12

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B | Analytical Method: SW8260B | Work Order: 1209113

Lab ID	1209113-001B
Client ID	B2
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	10	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	2.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	Chloroform	ND	1.0	0.5
Chloromethane	ND	1.0	0.5	2-Chlorotoluene	ND	1.0	0.5
4-Chlorotoluene	ND	1.0	0.5	Dibromochloromethane	ND	1.0	0.5
1,2-Dibromo-3-chloropropane	ND	1.0	0.2	1,2-Dibromoethane (EDB)	ND	1.0	0.5
Dibromomethane	ND	1.0	0.5	1,2-Dichlorobenzene	ND	1.0	0.5
1,3-Dichlorobenzene	ND	1.0	0.5	1,4-Dichlorobenzene	ND	1.0	0.5
Dichlorodifluoromethane	ND	1.0	0.5	1,1-Dichloroethane	ND	1.0	0.5
1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5	1,1-Dichloroethene	ND	1.0	0.5
cis-1,2-Dichloroethene	ND	1.0	0.5	trans-1,2-Dichloroethene	ND	1.0	0.5
1,2-Dichloropropane	ND	1.0	0.5	1,3-Dichloropropane	ND	1.0	0.5
2,2-Dichloropropane	ND	1.0	0.5	1,1-Dichloropropene	ND	1.0	0.5
cis-1,3-Dichloropropene	ND	1.0	0.5	trans-1,3-Dichloropropene	ND	1.0	0.5
Diisopropyl ether (DIPE)	ND	1.0	0.5	Ethylbenzene	ND	1.0	0.5
Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5	Freon 113	ND	1.0	10
Hexachlorobutadiene	ND	1.0	0.5	Hexachloroethane	ND	1.0	0.5
2-Hexanone	ND	1.0	0.5	Isopropylbenzene	ND	1.0	0.5
4-Isopropyl toluene	ND	1.0	0.5	Methyl-t-butyl ether (MTBE)	ND	1.0	0.5
Methylene chloride	ND	1.0	0.5	4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5
Naphthalene	ND	1.0	0.5	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes, Total	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	111	%SS2:	100
%SS3:	108		

Comments: b1

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

b1) aqueous sample that contains greater than ~1 vol. % sediment

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/10/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/10/12

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B | Analytical Method: SW8260B | Work Order: 1209113

Lab ID	1209113-002B
Client ID	B8
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	10	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	2.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	Chloroform	ND	1.0	0.5
Chloromethane	ND	1.0	0.5	2-Chlorotoluene	ND	1.0	0.5
4-Chlorotoluene	ND	1.0	0.5	Dibromochloromethane	ND	1.0	0.5
1,2-Dibromo-3-chloropropane	ND	1.0	0.2	1,2-Dibromoethane (EDB)	ND	1.0	0.5
Dibromomethane	ND	1.0	0.5	1,2-Dichlorobenzene	ND	1.0	0.5
1,3-Dichlorobenzene	ND	1.0	0.5	1,4-Dichlorobenzene	ND	1.0	0.5
Dichlorodifluoromethane	ND	1.0	0.5	1,1-Dichloroethane	ND	1.0	0.5
1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5	1,1-Dichloroethene	ND	1.0	0.5
cis-1,2-Dichloroethene	ND	1.0	0.5	trans-1,2-Dichloroethene	ND	1.0	0.5
1,2-Dichloropropane	ND	1.0	0.5	1,3-Dichloropropane	ND	1.0	0.5
2,2-Dichloropropane	ND	1.0	0.5	1,1-Dichloropropene	ND	1.0	0.5
cis-1,3-Dichloropropene	ND	1.0	0.5	trans-1,3-Dichloropropene	ND	1.0	0.5
Diisopropyl ether (DIPE)	ND	1.0	0.5	Ethylbenzene	ND	1.0	0.5
Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5	Freon 113	ND	1.0	10
Hexachlorobutadiene	ND	1.0	0.5	Hexachloroethane	ND	1.0	0.5
2-Hexanone	ND	1.0	0.5	Isopropylbenzene	ND	1.0	0.5
4-Isopropyl toluene	ND	1.0	0.5	Methyl-t-butyl ether (MTBE)	ND	1.0	0.5
Methylene chloride	ND	1.0	0.5	4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5
Naphthalene	ND	1.0	0.5	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,2,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	ND	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	ND	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes, Total	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	110	%SS2:	101
%SS3:	101		

Comments: b1

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

b1) aqueous sample that contains greater than ~1 vol. % sediment

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed 09/08/12-09/11/12

CAM / CCR 17 Metals*

Lab ID	1209113-001C				Reporting Limit for DF =1; ND means not detected above the reporting limit	
Client ID	B2					
Matrix	W				MDL	RL
Extraction Type	DISS.				µg/L	µg/L

ICP-MS Metals, Concentration*

Analytical Method: E200.8 Extraction Method: E200.8 Work Order: 1209113

Dilution Factor	10				1	1
Antimony	ND<2.6				0.26	0.5
Arsenic	ND<1.8				0.18	0.5
Barium	36,J				0.45	5.0
Beryllium	ND<0.70				0.07	0.5
Cadmium	ND<0.40				0.04	0.25
Chromium	3.3,J				0.16	0.5
Cobalt	2.5,J				0.03	0.5
Copper	4.0,J				0.07	0.5
Lead	ND<1.0				0.1	0.5
Mercury	0.21,J				0.01	0.025
Molybdenum	8.0				0.05	0.5
Nickel	8.7				0.08	0.5
Selenium	22				0.12	0.5
Silver	ND<1.2				0.12	0.19
Thallium	ND<0.40				0.04	0.5
Vanadium	1.5,J				0.07	0.5
Zinc	41,J				0.71	5.0
%SS:	N/A					
Comments	a12,b1					

*water samples are reported in µg/L, product/oil/non-aqueous liquid samples and all TCLP / STLC / DISTLC / SPLP extracts are reported in mg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, filter samples in µg/filter.

means surrogate diluted out of range; ND means not detected above the reporting limit/method detection limit; N/A means not applicable to this sample or instrument; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

TOTAL = Hot acid digestion of a representative sample aliquot.
TRM = Total recoverable metals is the "direct analysis" of a sample aliquot taken from its acid-preserved container.
DISS = Dissolved metals by direct analysis of 0.45 µm filtered and acidified sample.

J) analyte detected below quantitation limits
a12) reporting limit raised due to high non-reported metals content.
b1) aqueous sample that contains greater than ~1 vol. % sediment

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted 09/07/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed 09/07/12

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline *

Extraction method: SW5030B Analytical methods: SW8015Bm Work Order: 1209113

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS	Comments
001A	B2	W	ND	1	88	b1
002A	B8	W	ND	1	86	b1

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	NA	NA

* water and vapor samples are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference. %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:
b1) aqueous sample that contains greater than ~1 vol. % sediment

DHS ELAP Certification 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Aquifer Sciences, Inc.	Client Project ID: #212563	Date Sampled: 09/06/12
		Date Received: 09/06/12
3680-A Mt. Diablo Blvd	Client Contact: Cheri Whipp	Date Extracted: 09/06/12
Lafayette, CA 94549	Client P.O.:	Date Analyzed: 09/07/12

Total Extractable Petroleum Hydrocarbons with Silica Gel Clean-Up*

Extraction method: SW3510C/3630C Analytical methods: SW8015B Work Order: 1209113

Lab ID	Client ID	Matrix	TPH-Diesel (C10-C23)	TPH-Motor Oil (C18-C36)	DF	% SS	Comments
1209113-001A	B2	W	ND	ND	1	97	b1
1209113-002A	B8	W	ND	ND	1	98	b1

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	250	µg/L
	S	NA	NA	mg/Kg

* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

#) cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract; &) low or no surrogate due to matrix interference.

%SS = Percent Recovery of Surrogate Standard. DF = Dilution Factor

The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:
b1) aqueous sample that contains greater than ~1 vol. % sediment

DHS ELAP Certification 1644

Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water | QC Matrix: Water | BatchID: 70624 | WorkOrder: 1209113

EPA Method: SW8260B **Extraction: SW5030B** **Spiked Sample ID: 1209088-001A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
tert-Amyl methyl ether (TAME)	ND	10	110	108	1.71	94	70 - 130	20	70 - 130
Benzene	ND	10	97.4	96.1	1.25	96.3	70 - 130	20	76 - 106
t-Butyl alcohol (TBA)	ND	40	118	115	1.98	86.7	70 - 130	20	70 - 130
Chlorobenzene	ND	10	98.7	96.1	2.69	98	70 - 130	20	79 - 105
1,2-Dibromoethane (EDB)	ND	10	114	110	3.22	98.2	70 - 130	20	76 - 116
1,2-Dichloroethane (1,2-DCA)	ND	10	100	99	1.34	94.6	70 - 130	20	69 - 111
1,1-Dichloroethene	ND	10	95.5	95.8	0.248	97.5	70 - 130	20	70 - 104
Diisopropyl ether (DIPE)	ND	10	102	99.9	1.80	95.8	70 - 130	20	79 - 111
Ethyl tert-butyl ether (ETBE)	ND	10	108	106	1.38	98	70 - 130	20	70 - 130
Methyl-t-butyl ether (MTBE)	ND	10	109	107	1.86	93.8	70 - 130	20	70 - 130
Toluene	ND	10	95.5	93.7	1.92	96.3	70 - 130	20	70 - 130
Trichloroethene	1.2	10	99.9	98	1.84	100	70 - 130	20	70 - 130
%SS1:	109	25	111	111	0	106	70 - 130	20	70 - 130
%SS2:	100	25	99	99	0	101	70 - 130	20	70 - 130
%SS3:	106	2.5	99	100	1.59	102	70 - 130	20	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70624 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209113-001B	09/06/12 1:00 PM	09/12/12	09/12/12 4:03 AM	1209113-002B	09/06/12 11:45 AM	09/10/12	09/10/12 11:13 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.

DHS ELAP Certification 1644

QA/QC Officer

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR E200.8

W.O. Sample Matrix: Water | QC Matrix: Water | BatchID: 70475 | WorkOrder: 1209113

EPA Method: E200.8 **Extraction: E200.8** **Spiked Sample ID: 1208640-014A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
Antimony	ND	50	105	104	1.36	106	70 - 130	20	85 - 115
Arsenic	2.2	50	104	105	0.386	104	70 - 130	20	85 - 115
Barium	36	500	99.3	99	0.320	100	70 - 130	20	85 - 115
Beryllium	ND	50	105	104	0.630	111	70 - 130	20	85 - 115
Cadmium	ND	50	101	101	0	106	70 - 130	20	85 - 115
Chromium	ND	50	99.4	100	0.761	103	70 - 130	20	85 - 115
Cobalt	ND	50	101	102	0.433	107	70 - 130	20	85 - 115
Copper	20	50	97.3	99.7	1.71	106	70 - 130	20	85 - 115
Lead	ND	50	102	102	0	106	70 - 130	20	85 - 115
Mercury	ND	1.25	114	114	0	108	70 - 130	20	85 - 115
Molybdenum	3.0	50	103	102	0.974	104	70 - 130	20	85 - 115
Nickel	0.64	50	97.4	98.9	1.49	105	70 - 130	20	85 - 115
Selenium	0.82	50	102	103	0.904	105	70 - 130	20	85 - 115
Silver	ND	50	99.4	97.9	1.52	105	70 - 130	20	85 - 115
Thallium	ND	50	102	102	0	105	70 - 130	20	85 - 115
Vanadium	4.1	50	103	104	0.681	104	70 - 130	20	85 - 115
Zinc	5.9	500	98.7	99.8	1.08	107	70 - 130	20	85 - 115
%SS:	112	750	114	113	0.129	110	70 - 130	20	85 - 115

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70475 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209113-001C	09/06/12 1:00 PM	09/06/12	09/08/12 3:57 PM	1209113-001C	09/06/12 1:00 PM	09/06/12	09/11/12 6:18 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

QA/QC Officer

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water | QC Matrix: Water | BatchID: 70579 | WorkOrder: 1209113

EPA Method: SW8021B/8015Bm **Extraction: SW5030B** **Spiked Sample ID: 1209113-002A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
TPH(btex)£	ND	60	102	99.3	2.97	104	70 - 130	20	70 - 130
MTBE	ND	10	103	93.4	9.93	90.4	70 - 130	20	70 - 130
Benzene	ND	10	99.8	101	0.783	103	70 - 130	20	70 - 130
Toluene	ND	10	100	101	0.934	105	70 - 130	20	70 - 130
Ethylbenzene	ND	10	103	104	0.726	106	70 - 130	20	70 - 130
Xylenes	ND	30	105	107	1.76	108	70 - 130	20	70 - 130
%SS:	86	10	92	95	3.19	92	70 - 130	20	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70579 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209113-001A	09/06/12 1:00 PM	09/07/12	09/07/12 2:23 PM	1209113-002A	09/06/12 11:45 AM	09/07/12	09/07/12 2:54 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

QC SUMMARY REPORT FOR SW8015B

W.O. Sample Matrix: Water | QC Matrix: Water | BatchID: 70512 | WorkOrder: 1209113

EPA Method: SW8015B **Extraction: SW3510C/3630C** **Spiked Sample ID: N/A**

Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	Acceptance Criteria (%)		
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	MS / MSD	RPD	LCS
TPH-Diesel (C10-C23)	N/A	1000	N/A	N/A	N/A	112	N/A	N/A	70 - 130
%SS:	N/A	625	N/A	N/A	N/A	98	N/A	N/A	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 70512 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1209113-001A	09/06/12 1:00 PM	09/06/12	09/07/12 3:11 AM	1209113-002A	09/06/12 11:45 AM	09/06/12	09/07/12 4:17 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

QA/QC Officer